



Fiber Pigtail Kits

LC-UPC Multimode OM3
(Aqua)




LC-UPC Singlemode
(Blue)



LC-UPC Singlemode Bend Insensitive
(Blue)



LC-APC Singlemode
(Green)



LC-APC Singlemode Bend Insensitive
(Green)



SC-APC Singlemode
(Green)



SC-APC Singlemode Bend Insensitive
(Green)



SC-UPC Multimode OM3
(Aqua)



SC-UPC Singlemode
(Blue)



SC-UPC Singlemode Bend Insensitive
(Blue)



Applications

Fiber Pigtail Kits are designed to support both fusion and mechanical splicing for fiber cabling systems. Fiber Pigtail kits contain TIA/EIA-604 FOCIS compliant fiber optic connectors and meet or exceed TIA/EIA-568-C.3 performance requirements.

Description / Specifications

Vericom Fiber Pigtail Kits are constructed with standard TIA/EIA-604 FOCIS fiber connectors and two meters of Corning® Fiber Cable. Our Fiber Pigtails are available in LC-UPC Singlemode, LC-UPC Multimode, LC-APC Singlemode, SC-APC Singlemode, SC-UPC Singlemode and SC-UPC Multimode. Singlemode assemblies are available in standard and bend insensitive glass. 12 strand Fiber Pigtail Kits utilize color coding and perform to meet TIA-568-C.3 standards.

Features & Benefits

- Built to meet existing ANSI/TIA-568-C.3 performance standard for interoperability
- FOCIS compliant adapters are color coded per ANSI/TIA-568-C.3 standards
- Pigtails allow for fusion or mechanical splicing avoiding time consuming polishing
- LC-UPC, LC-APC, SC-APC Singlemode & Multimode options available
- 12 Fiber Pigtail Kits in OM3, SM, and SM Bend Insensitive fiber to meet customer needs

Standards Compliance

- ANSI/TIA-568-C.3
- TIA-604-10 (FOCIS-10)
- TIA-604-3 (FOCIS-3)
- ISO/IEC 11801
- IEC 61754
- RoHS Compliant

Construction

Ferrules: Zirconia Ceramic

Housing Material: PC (Polycarbonate)

LC-UPC Multi Mode OM3 Color: Aqua

LC-UPC Single Mode Color: Blue

LC-APC Single Mode Color: Green

SC-APC Single Mode Color: Green

SC-UPC Multi Mode OM3 Color: Aqua

SC-UPC Single Mode Color: Blue




Fiber Pigtail Kits

Ordering Information

Item Number	Description
FOP09-LCU-M3-12C-2M	Fiber Pigtail, LC/UPC, OM3, 12 Color, 2 meters
FOP09-LCU-SM-12C-2M	Fiber Pigtail, LC/UPC, SM 9/125, 12 Color, 2 meters
FOP09-LCU-SBI-12C-2M	Fiber Pigtail, LC/UPC, SM 9/125 Bend Insensitive, 12 Color, 2 meters
FOP09-LCA-SM-12C-2M	Fiber Pigtail, LC/APC, SM 9/125, 12 Color, 2 meters
FOP09-LCA-SBI-12C-2M	Fiber Pigtail, LC/APC, SM 9/125 Bend Insensitive, 12 Color, 2 meters
FOP09-SCA-SM-12C-2M	Fiber Pigtail, SC/APC, SM 9/125, 12 Color, 2 meters
FOP09-SCA-SBI-12C-2M	Fiber Pigtail, SC/APC, SM 9/125 Bend Insensitive, 12 Color, 2 meters
FOP09-SCU-M3-12C-2M	Fiber Pigtail, SC/UPC, OM3, 12 Color, 2 meters
FOP09-SCU-SM-12C-2M	Fiber Pigtail, SC/UPC, SM 9/125, 12 Color, 2 meters
FOP09-SCU-SBI-12C-2M	Fiber Pigtail, SC/UPC, SM 9/125 Bend Insensitive, 12 Color, 2 meters

Technical Illustrations

LC Color Code



SC/APC Color Code





Fiber Pigtail Kits

Technical Illustrations

SC/UPC Color Code

